PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁴ :	A1	(11) International Publication Number:	WO 88/ 05301
A61K 31/725, 45/05		(43) International Publication Date:	28 July 1988 (28.07.88)

(21) International Application Number: PCT/AU88/00017

(22) International Filing Date: 22 January 1988 (22.01.88)

(31) Priority Application Number: PH 9991/87

(32) Priority Date: 23 January 1987 (23.01.87)

(33) Priority Country: AU

(71) Applicant (for all designated States except US): THE AUSTRALIAN NATIONAL UNIVERSITY [AU/AU]; Acton, ACT 2601 (AU).

(72) Inventors; and
(75) Inventors/Applicants (for US only) : PARISH, Christopher, Richard [AU/AU]; 41 Goulburn Street, Macquarie, ACT 2614 (AU). SNOWDEN, John, McKinnon [AU/AU]; 4 Duncton Court, Leeming, W.A. 6155 (AU).

(74) Agents: CORBETT, Terence, G. et al.; Davies & Collison, 1 Little Collins Street, Melbourne, VIC 3000 (AU).

(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US.

Published
With international search report.

(54) Title: SULPHATED POLYSACCHARIDES HAVING ANTI-METASTATATIC AND/OR ANTI-INFLAMMATORY ACTIVITY

(57) Abstract

A method of anti-metastatic and/or anti-inflammatory treatment of an animal or human patient comprises administration to the patient of an effective amount of at least one sulphated polysaccharide which blocks or inhibits endoglycosidase, particularly heparanase, activity. Suitable sulphated polysaccharides include heparin and modified heparin, fucoidan, pentosan sulphate, dextran sulphate and carrageenan lambda.

SULPHATED POLYSACCHARIDES HAVING ANTI-METASTATIC AND/OR ANTI-INFLAMMATORY ACTIVITY

This invention relates to compounds having anti-metastatic and/or anti-inflammatory activity, and in particular it relates to the use of these compounds as anti-metastatic and/or anti-inflammatory

5   agents in animals and man.

One of the key events in inflammation and tumour metastasis is the adherence of leukocytes or tumour cells to blood vessel walls and their subsequent emigration into tissues. The molecular

10   basis of these processes is poorly understood although it is generally accepted that penetration of the vessel wall requires localised degradation of the interendothelial cell junctions and subendothelial matrix by specific degradative enzymes.

15   It has now been discovered that certain sulphated polysaccharides can inhibit tumour cell

2

metastasis. While some of these sulphated polysaccharides (such as heparin) exhibit anti-coagulant activity, the anti-metastatic activity appears to be unrelated to their anticoagulant activity, the polysaccharides not inhibiting the attachment of tumour cells to vessel walls but preventing vessel wall penetration. Subsequent studies have revealed that the sulphated polysaccharides block tumour cell-derived endoglycosidases that degrade the subendothelial extracellular matrix (ECM) and allow penetration and passage of tumour cells. In particular, these sulphated polysaccharides have been found to inhibit the action of heparan sulphate specific glycosidase (heparanase) that degrades the heparan sulphate side-chains of the ECM.

Work leading to the present invention has also revealed that continuous infusion of certain sulphated polysaccharides, such as heparin and fucoidan, can completely prevent experimental allergic encephalomyelitis (EAE), an animal inflammatory disease similar to multiple sclerosis in humans.

In a first aspect, the present invention relates to the use of certain sulphated polysaccharides as anti-metastatic and/or anti-inflammatory agents. In this aspect, this invention provides a method of anti-metastatic and/or anti-inflammatory treatment of an animal or human patient, which comprises administration to the patient of an effective amount of at least one sulphated polysaccharide which blocks endoglycosidase activity.

In another aspect, this invention relates to

the use of these sulphated polysaccharides in the preparation of pharmaceutical compositions for anti-metastatic and/or anti-inflammatory treatment.

In this aspect, there is provided a pharmaceutical
5   composition which comprises at least one sulphated polysaccharide which blocks endoglycosidase activity, together with a pharmaceutically acceptable carrier or diluent therefor.

This invention particularly relates to the
10   use of sulphated polysaccharides which block heparinase activity. Suitable sulphated polysaccharides include heparin, fucoidan, pentosan sulphate, dextran sulphate, and carrageenan-lambda.

As previously described, one sulphated polysaccharide
15   which has been found to exhibit endoglycosidase-inhibitory activity is heparin, and in one particularly preferred embodiment of this invention the active component is heparin or a similar sulphated polysaccharide having
20   anti-coagulant activity that has been appropriately modified to reduce this anti-coagulant activity.

Examples of such modified polysaccharides are (a) decarboxylated heparin that has a 20 fold reduction in its anti-coagulant activity and negligible loss of
25   anti-metastatic activity and
     (b) periodate oxidized, reduced heparin that has negligible anti-coagulant activity but is a potent anti-metastatic agent. In both (a) and (b) the endoglycosidase-inhibitory activity of the
30   polysaccharides is retained.

The following Example demonstrates that
     (a)   a range of sulphated polysaccharides can inhibit the metastasis of the mammary adenocarcinoma 13762 MAT;

35

(b)   the anti-metastatic activity of the
sulphated polysaccharides does not correlate with
their anticoagulant activity;   and

(c)   the sulphated polysaccharides do not inhibit

5   adhesion of tumour cells to the vascular endothelium
but appear to prevent passaging of tumour cells
through the blood vessel wall.

10

5

MATERIALS AND METHODS

EXAMPLE 1

Polysaccharides

Hyaluronic acid (Grade III-S from human umbilical cord),
chondroitin-4-sulphate (chondroitin sulphate type A from
whale cartilage), chondroitin-6-sulphate (chondroitin
sulphate type C from shark cartilage), fucoidan (from Fucus
vesiculosus), pentosan polysulphate, carrageenan-kappa (Type
III from Eucheuma cottonii), carrageenan-lambda (Type IV from
Gigartina aciculaire and Gigartina pistillata) were all
purchased from Sigma Chemical Co. (St. Louis, Mo). Heparin
(mucous) was supplied by Evans Medical Ltd. (Liverpool,
U.K.). Heparin CSL was obtained from the Commonwealth Serum
Laboratories (Melbourne, Australia). Dextran sulphate (2.3
sulphates/monosaccharide, MW 500,000) was purchased from
Pharmacia Fine Chemicals (Uppsala, Sweden) and arteparon
(Luitpold Werk, Munich, W. Germany) was a generous gift of Dr
P. Ghosh, Royal North Shore Hospital (St. Leonards, Sydney,
Australia). The polysaccharides, with the exception of
Heparin, CSL, which was purchased as a solution, were dis-
solved in 0.15M NaCl, in most cases to a stock concentration
of 20 mg/ml. Hyaluronic acid and the carrageenans because of
their viscosity in solution were dissolved in 0.15M NaCl to
concentrations of 10 mg/ml and 2 mg/ml respectively. All
polysaccharide solutions were stored at -20°.

Animals and cell lines

Female Fisher F344 inbred rats were bred at the John

Curtin School of Medical Research and used at 10 weeks of age.

The 13762 MAT cell line is a mammary adenocarcinoma of Fisher 344 rats adapted to _in vitro_ culture in RPMI 1640

5 medium (Gibco) supplemented with 10% foetal calf serum (FCS; Flow Labs), 100 units/ml penicillin and 100 ug/ml strepto-mycin sulphate as described previously (4).

These cells are highly metastatic and exhibit stable metastatic properties over a number of passages in culture.

10

Haematogenic metastases assay

13762 MAT cells were dislodged from the surface of tissue culture bottles by vigorous shaking, the cells were then washed and resuspended in complete medium. 2×10^5

15 viable cells in 0.6 mls were injected into the tail vein of Fisher 344 rats. Twelve days after injection the animals were killed, the lungs removed and fixed in Bouins fluid and the number of surface metastatic foci determined. By this injection route metastases are confined to the lung.

20

Soft agar plating

The plating of cells in soft agar was performed essenti-ally as described by Reid (5). Briefly, an underlayer consisting of 2 mls of 0.5% Difco Bacto-agar in 1640 medium

25 containing 10% calf serum was poured into 60 mm petri dishes (Sterilin, Teddington Middlesex) and allowed to solidify at 4° for 1h. The cells to be plated were suspended in 0.33% agar in 1640 medium and 10% calf serum and 6 mls of this

mixture was poured over the underlayer. The plates were first placed at 4°C for 1h to allow the agar to solidify and then incubated at 37° in a humidifed 5% CO_2 atmosphere for 14 days. Colonies are visible after 7-10 days at

5   37° and can be scored at 14 days.

Rosetting assay for cell surface receptors for sulphated

polysaccharides

Rosetting assays were carried out in 96-well round-

10   bottomed microplates (Linbro Chemical Co.) and based on a procedure reported earlier (3).   13762 MAT cells were washed and resuspended in phosphate buffered 0.15M NaCl (pH 7) supplemented with 0.1% bovine serum albumin (PBS/BSA). To 25 ul of ice cold 13762 MAT cells ($1x10^6$/ml

15   in PBS/BSA) was added 25 ul of a 1% suspension in PBS/BSA of either washed sheep erythrocytes or sheep erythrocytes coupled with a sulphated polysaccharide using $CrCl_3$ as previously described (3).   This mixture was pelleted by centrifugation at 1,000 rpm for 1 min

20   at 4° and left on ice for 1h to allow the rosettes to stabilize. The cell pellets were then gently resuspended with a short Pasteur pipette and stained with Methyl violet; 50 ul of 0.05% methyl violet being added to the wells. Cell samples were transferred to a haemocytometer chamber and the

25   percentage of rosette-forming cells assessed. A minimum of 100-200 tumour cells were examined for rosettes. A tumour cell with 6 or more erythrocytes attached was considered as a rosette.

Labelling 13762 MAT cells with Hoechst dye No. 33342

Hoechst dye No. 33342 (H33342; Calbiochem-Behring,
Kingsgrove, NSW, Australia) was stored at 4° as a stock
solution of 600 ug/ml in distilled water. For labelling,
5 13762 MAT cells were washed and resuspended to a concentra-
tion of $5x10^7$ cells/ml in RPMl 1640 medium supplemented
with 10% FCS. The cells were transferred to a 37° water
bath and 6 ug/ml of H33342 was added. Labelling was contin-
ued for 15 min after which the cells were washed twice with
10 cold RPMl 1640 medium and resuspended for injection.

Quantification of tumour cell lodgement

The method used was similar to that of Brenan and Parish
(2). 13762 MAT cells ($2x10^6$) were injected i.v. into
15 rats, in 0.6 ml of RPMl 1640 medium containing either 200
units of CSL heparin (ca 1.6 mg) or 4 mg of chondroitin-4-
sulphate. Labelled cells injected in RPMl 1640 alone served
as controls. At various times after injection the rats were
anesthetized, bled by cardiac puncture and the lungs were
20 removed, washed and placed in saline. Each lung was then
minced in PBS and made into a single-cell suspension by
gently pressing the tissue fragments through a fine seive.
The cell suspension was centrifuged, washed with PBS and
resuspended in 4 ml of PBS. A haemocytometer was used to
25 estimate the number of fluorescent cells within each lung.
At least 3 animals were used for each timepoint and each
treatment.

Anticoagulant and procoagulant assays

To obtain rat plasma blood was collected by the cardiac
puncture of anesthetized rats; nine vols of rat blood being
drawn into one volume of 3.8% sodium citrate. The erythro-
5 cytes were removed by centrifugation (10,000 g, 4°C) and the
plasma collected and stored at -70° until use.

The effect of the sulphated polysaccharides on the
coagulation state of plasma was determined as follows.
Polysaccharide, 100 ul diluted in 0.15M NaCl was mixed with
10 50 ml of normal plasma and 50 ul of 0.15M NaCl and the
mixture was warmed at 37°C for 2 mins. To activate the
coagulation pathway either 20 ul of bovine thrombin (Sigma)
at a concentration of 30 NIH units/ml in 1.5M NaCl or 20 ul
of activated "Thrombofax" reagent-optimized (partial
15 thromboplastin with activator, Ortho Diagnostic Systems Inc.)
was added to the mixture. The clotting reaction was then
initiated by the addition of 100 ul of 30 mM $CaCl_2$ and the
time, in seconds, required for clot formation was recorded.
These values were compared to the time taken for plasma to
20 clot in the absence of sulphated polysaccharides, i.e., when
the 100 ul of polysaccharide was replaced with 100 ul of
saline. The highest concentration of polysaccharide having
no detectable effect on the clotting time was taken as the
endpoint. The addition of thrombin or "Thrombofax" was
25 necessary to remove the variability introduced by the
incomplete activation of the intrinsic pathway that resulted
when surface-contact was the only agent activating the
coagulation cascade.

A similar assay was used to determine the effect of
sulphated polysaccharides on the procoagulant activity of the
13762 MAT cells. To 100 ul of normal rat plasma was added 50
ul of polysaccharide in 0.15M NaCl and 50 ul containing
5 2×10^4 13762 MAT cells in 1640 medium (no serum). After
warming for 2 min at 37° 100 ul of 30 mM $CaCl_2$ was added
and the time (seconds) for clot formation was measured. The
clotting time of plasma when the coagulation cascade was
activated by 2×10^4 13762 MAT cells in the absence of
10 polysaccharide (the 50 ul of polysaccharide was substituted
with 50 ul of saline) served as the control. The highest
concentration of polysaccharide that does not produce a
detectable increase in the clotting time above that recorded
for the controls was the end point. For both assays the
15 effect of each polysaccharide concentration was measured in
duplicate and the control values were determined from the
mean of at least eight clotting times.

20

25

FIGURE 1 - Lodgement pattern within the rat lung of i.v. injected, H33342 labelled, MAT cells. The cells were injected in either saline alone (A and C) or saline containing 1.6 mg heparin (B and D). The pattern of 13762 MAT cell lodgement is shown 15 min (A

5 and B) and 360 min (C and D) after injection. Magnification x55.

FIGURE 2 - Quantitative assessment of the effect of sulphated polyaccharides on the lodgement of H33342 labelled, 13762 MAT

10 cells within the rat lung over a 22h period. Experiment 1: Cells were injected i.v. in saline alone (●) or saline containing 1.6 mg of heparin (▲). Experiment 2: Cells were injected i.v. in saline alone (○) or saline containing 4 mg of chondroitin-4-sulphate (△). The mean and standard error of the number of

15 fluorescent tumour cells within at least 3 replicate rat lungs is given.

20

25

12

RESULTS

Inhibition of metastasis with sulphated polysaccharides

To test whether sulphated polysaccharides could alter the number of 13762 MAT cell lung metastases the following experiment was performed. Single cell suspensions of 13762 MAT cells

5 (2×10^5) were mixed with 4 mg of sulphated polysaccharide in RPMI 1640 medium immediately prior to their injection into the tail vein of rats. Twelve days after injection the numbers of visible surface lung lesions were determined. Although a score of the number of visible lesions does not represent the total number of

10 tumours within the lung it is regarded as a reliable estimate of the extent of metastatic tumour colonization (8).

It is clear from Table I that certain sulphated polysaccharides substantially decreased the number of lung

15 lesions. Heparin was the most effective polysaccharide followed by carrageenan lambda, pentosan sulphate and fucoidan.

It was necessary to eliminate the possibility that the apparent antimetastatic effects of the sulphated polysaccharides were caused by their direct toxicity for tumour cells.

20 Accordingly, samples of 13762 MAT cells were incubated for 1h at 37° with one of each of the sugars shown to inhibit metastasis. After incubation the cells were washed and plated in soft agar. The concentration of cells and sugars was the same as that used for injecting the rats i.e. 3.3×10^5 cells/6.6 mg sugar/ml or

25 3.3×10^5 cells/3.3 mg sugar/ml in the case of the carrageenans. Cells incubated in RPMI 1640 medium alone served as controls. The effect of the sugars on the viability of the tumour cells was

13.

assessed from the number of cell colonies visible at 14 days after

plating. Dextran sulphate was the only sugar found to reduce

either the size or the number of 13762 MAT cell colonies (Table

II); the other sugars had no detectable effect on tumour cell

5   viability in vitro.

This suggests, with the exception of dextran sulphate, that

the reduction in the number of metastases was a consequence of

some in vivo action of the polysaccharides. To determine the

validity of this interpretation heparin was administered

10   independently of the i.v. injected tumour cells. It was found

that the route of heparin injection, whether intraperitoneal,

subcutaneous or via another tail vein, did not alter the result.

Heparin continued, in each case, to decrease the number of

metastases to less than 10% of the control (data not shown); thus,

15   confirming that heparin, at least, was acting in vivo to reduce

the number of metastases.

Detection of receptors for sulphated polysaccharides on 13762 MAT

cells

20   Sulphated polysaccharides constitute a major component of the

extracellular matrix of endothelial cells, hence it is possible

that 13762 MAT cells may adhere to the lung endothelium via

receptors for these molecules. To determine whether molecules

associated with the surface of 13762 MAT cells bound sulphated

25   polysaccharides a rosetting assay was used.

Sulphated polysaccharides from a variety of sources were

coupled to the surface of sheep erythrocytes and the ability of

these erythrocytes to attach to 13762 MAT cells was assessed.

14

Uncoupled sheep erythrocytes served as controls. It was found
that erythrocytes coupled with the glycosaminoglycans (GAG)
chondroitin-4-sulphate and chondroitin-6-sulphate bound strongly
to the surface of 13762 MAT cells while those coupled with
5 hyaluronic acid (a nonsulphated GAG) bound moderately; 77% of the
13762 MAT cells being classified as rosettes (Table III). In
contrast, arteparon (an artificially oversulphated GAG from bovine
lung) and heparin-coupled erythrocytes bound very poorly to 13762
MAT cells. A similar pattern of selective adhesion was displayed
by 13762 MAT cells for erythrocytes coupled with sulphated
10
polysaccharides from non-mammalian sources. Although the
carrageenans kappa and lambda bound very strongly to 13762 MAT
cells a subpopulation of these cells (ca 32%) consistently did not
bind carrageenan lambda. No binding of pentosan sulphate-coupled
erythrocytes could be detected and only a subpopulation of 13762
15MAT cells (ca 50%) bound rather weakly to dextran sulphate-coupled
erythrocytes.

The selective nature of the binding pattern displayed by the
13762 MAT cells indicates that binding is not simply due to the
anionic nature of the polysaccharides. For example, the tumour
20cells reacted strongly with the chondroitin sulphates and yet did
not bind heparin a GAG with a much higher charge density.
Similarly, hyaluronic acid, a molecule having a relatively low
charge density was found to adhere quite strongly to 13762 MAT
cells. It can therefore be concluded that 13762 MAT cells possess
25surface associated molecules (receptors) that bind particular
sulphated polysaccharides. There was, however, no positive
correlation between the antimetastatic properties of the sugars
and their ability to bind to the tumour cell surface (Tables I and
III). In fact, with the exception of carrageenan lambda, a

15

negative correlation was evident. This suggests that the antimetastatic activity of the majority of the sulphated polysaccharides could not have been due to the blocking of sulphated polysaccharide specific receptors on the 13762 MAT cell

5   surface.

Anticoagulant activity of the sulphated polysaccharides

13762 MAT cells are known to exhibit procoagulant activity in vitro (1);   a property believed to

10   contribute to the metastatic capability of tumour cells by increasing the probability that these cells will become entrapped in the microcirulation of an organ (6).
The sugars most effective as antimetastatic agents were found, at quite low concentrations, to both exhibit anticoagulant activity

15   and inhibit the procoagulant activity of the 13762 MAT cells (Table IV). Nevertheless, it is noteworthy that the correlation between antimetastatic and anticoagulant activity is not absolute. Dextran sulphate, for example, inhibited the clotting of plasma at concentrations as low as 1-0.5 ug/ml as did carrageenan lambda

20   (Table IV) yet carrageenan lambda was substantially more effective at preventing metastasis than dextran sulphate (Table I). Moreover, dextran sulphate was found to impair the viability of the 13762 MAT cells (Table II) thus, it is probable that the 50% reduction in metastasis observed with this sugar was a reflection

25   of its toxicity. Pentosan sulphate and arteparon similarly exhibited identical endpoints in the anticoagulant assays but differed significantly in their efficacy as antimetastatic agents. It is worth noting that the anticoagulant and procoagulant assays

16

give accurate end points as a narrow range of sugar concentrations
can alter plasma from giving coagulation times identical to that
of the control to an incoagulable state (data not shown).

5 Effect of sulphated polysaccharides on the arrest of tumour cells

in the lung

        Do the sulphated polysaccharides that reduce metastasis
prevent the arrest and/or adhesion of tumour cells to the lung
endothelium or do they act at a later stage in the metastatic
10 process? To examine this question the effect of heparin and
fucoidan on the arrest, in the lung, of 13762 MAT cells labelled
with a fluorescent dye (H33342) was determined. This dye has been
used previously to follow lymphocyte recirculation and is reported
neither to be toxic nor to modify the cell surface (2).
15 Fluorescently labelled 13762 MAT cells (2×10^6)
were injected i.v. in either saline or with fucoidan (4 mg) or
heparin (4 mg and 1.6 mg). At 15, 90 or 360 min after injection
the rats were bled by cardiac puncture, then killed and the lungs
were removed. After washing the lungs were fixed in 5% neutral
20 formalin for 20h at room temperature. Hand sections of the fixed
tissue were examined using low power (100x) fluorescence
microscopy. In all cases the cells exhibited a patchy
distribution spread throughout the lobes of the lung (Fig. 1a and
b) and no qualitative difference in the number of cells arresting
25 after 15 min could be detected. However, the numbers of cells
visible in the lung 6h after injection had declined substantially
when heparin or fucoidan had been administered (Fig. 1c and d).

17

In a subsequent experiment the effect of sulphated
polysaccharides on the arrest and lodgement of 13762 MAT cells in
the lung was quantified over a 22h period. Tumour cells labelled
with H33342 were injected with either a sugar, heparin (1.6 mg)
5 or chondroitin-4-sulphate (4 mg), or in RPM1 1640 alone, and at
the times specified (Fig. 2) the numbers of labelled cells
remaining in the lungs were estimated. Plasma prepared from the
blood samples taken at each time point was used to monitor the
anticoagulant state of the rats. It was found that 1.6 mg of
10 heparin significantly anticoagulated the animals and inhibited the
procoagulant activity of the tumour cells for between 3-5 hours.
Plasma taken from rats 5h after the injection of heparin exhibited
a clotting pattern indistinguishable from that of normal plasma.
Chondroitin-4-sulphate had no effect on the coagulation state of
15 the rats.

The results of this experiment confirmed the qualitative
assessment. Heparin did not prevent the initial arrest of the
tumour cells but it did increase the rate at which these cells
were lost from the lung, such that, after 22h only 38% of the
20 cells initially arrested could be detected. In contrast,
chondroitin-4-sulphate, a sugar having no anticoagulant and no
antimetastatic activity, had no effect on the retention of tumour
cells in the lung (Fig. 2). The displacement of cells from the
lung observed with both heparin and fucoidan is thus not due
25 simply to the introduction of a sulphated polysaccharide per se
but appears to be more specific. Whether the displacement of
cells is due to the anticoagulant effect of the sugars is not
clear. However, the data do suggest that the procoagulant
activity of the 13762 MAT cells is of little consequence for the

initial steps of tumour cell arrest, as heparin and fucoidan are potent inhibitors of procoagulant activity (Table IV).

Effect of the time of heparin administration on its antimetastatic activity

The effects of heparin on the number of 13762 MAT cells remaining in the lung first became evident 1-2 hours after injection (Fig. 2). Thus, it could be argued that heparin interferes with the metastatic process after the cells have lodged in the lung capillaries but before penetration of the vascular endothelium. To determine the time of heparin administration most effective in preventing metastases, heparin was given both before and after the tumour cells and the resulting number of lung lesions were recorded.

Heparin most efficiently inhibited metastasis formation when an i.v. injection of tumour cells was immediately followed by an injection of heparin into a different tail vein. However, around 70% inhibition of metastasis could still be achieved if heparin was given up to one hour before or three hours after the tumour cells (Table V). As before the rats were significantly anticoagulated three hours after the heparin injection but after six hours their coagulation state had returned to that of the saline injected controls (data not shown).

Separation of the antimetastatic and anticoagulant effects of heparin

From the data presented above it appears that anticoagulation

19

may not be the complete explanation for the antimetastatic effects of the sulphated polysaccharides. Commercial preparations of sulphated polysaccharides are composed of a heterogeneous set of molecules, different preparations of the same polysaccharide

5 having a slightly different set of molecules. It is therefore possible that heparin batches could vary in their potency as antimetastatic agents, yet possess identical anticoagulation properties. This was found to be the case. Heparin preparations from two different sources had identical anticoagulant properties

10 but differed by approximately 10-fold in their antimetastatic capabilities (Table VI). The quantity of Evans Medical Ltd heparin and CSL heparin required to drop the number of lung metastases by 50% was 0.53 mg and 0.06 mg respectively. These results indicate that the antimetastatic effect is due, at least

15 in part, to some component of heparin distinct from that required for anticoagulation.

20

25

TABLE I - THE EFFECT OF SULPHATED POLYSACCHARIDES ON THE
METASTASES FORMED BY 13762 MAT CELLS

Polysaccharide[1]	No Metastases	
	(Mean $\pm$ SE)[2]	% of control
Hyaluronic acid	295 $\pm$ 31	100.1
Chondroitin-4-sulphate	285 $\pm$ 27	96.5
Chondroitin-6-sulphate	273 $\pm$ 36	92.5
Heparin	30 $\pm$ 10	10.2*
Fucoidan	96 $\pm$ 21	32.7*
Carrageenan Kappa	282 $\pm$ 29	95.6
Carrageenan Lambda	56 $\pm$ 13	18.9*
Dextran sulphate	151 $\pm$ 21	51.1*
Pentosan sulphate	65 $\pm$ 13	22.0*
Arteparon	139 $\pm$ 25	47.3*
None (control)	295 $\pm$ 25	

[1]Four mg of polysaccharide were injected per rat with the
exception of both the carrageenans, where 2 mg were
injected.

[2]Mean of 5 replicates.

*Significantly different from the control as determined by
an analysis of variance followed by an a priori t-test
(7).   In each case $p < 0.001$.

TABLE II - EFFECT OF SULPHATED POLYSACCHARIDES ON THE VIABILITY OF 13762 MAT CELLS

Polysaccharide	No. of MAT cell colonies $\bar{x} \pm SE$
Heparin	333 ± 39
Fucoidan	330 ± 32
Carrageenan Kappa	379 ± 12
Carrageenan Lambda	305 ± 2
Dextran sulphate	172 ± 27
Pentosan sulphate	322 ± 3
None (control)	310 ± 7

13762 MAT cells were incubated for 1h at 37° in polysaccharide (3.3 mg/ml for the carrageenans Kappa and Lambda; 6.6 mg/ml for the others) in 1640 medium before being added to agar and plated out. Four replicate plates were prepared for each sugar.

TABLE III - RECEPTOR STATUS OF 13762 MAT CELLS FOR

SULPHATED POLYSACCHARIDES

Polysaccharide[1]	% of MAT cells forming rosettes[2]
Hyaluronic acid	77
Chondroitin-4-sulphate	98
Chondroitin-6-sulphate	74
Heparin	<1
Fucoidan	5
Carrageenan Kappa	92
Carrageenan Lambda	78
Dextran sulphate	53
Pentosan sulphate	<1
Arteparon	<1
None (control)	<1

[1]Polysaccharides were coupled to sheep erythrocytes.

[2]13762 MAT cells possessing 6 or more attached erythrocytes constitute a rosette. Figures given are the average of three separate experiments.

TABLE IV - EFFECT OF SULPHATED POLYSACCHARIDES ON THE COAGULATION STATE
OF RAT PLASMA

Polysaccharide	Anticoagulant activity (ug/ml)[1]		Inhibition of procoagulant effect of MAT cells (ug/ml)[2]
	APTT	TT	
Hyaluronic acid	>2000	>2000	>2000
Chondroitin-4-sulphate	> 500	>5000	>2000
Chondroitin-4-sulphate	> 500	>5000	>2000
Heparin	0.3	0.3	3
Fucoidan	1.0	1.0	20
Carrageenan Kappa	3.0	10.0	200
Carrageenan Lambda	1.0	0.3	20
Dextran sulphate	0.3	0.3	2
Pentosan sulphate	3.0	3.0	30
Arteparon	3.0	3.0	20

[1]Highest concentration of sugar having no detectable effect on plasma coagulation.

[2]Highest concentration of sugar having no inhibitory effect on the procoagulant activity of 2×10^4 13762 MAT cells.

TABLE V - EFFECT OF TIME OF HEPARIN ADMINISTRATION ON ITS
ANTIMETASTATIC ACTIVITY

Time (hours) of injection		Number of Metastases	
13762 MAT cells[1]	Heparin[2]	(mean ± SE)[3]	% of control
0	0	7 ± 3	2.4
0	+1	21 ± 4	7.1
0	+3	73 ± 9	25.0
0	+6	202 ± 68	69.1
0	+22	248 ± 48	85.2
0	No sugar (control)	291 ± 39	
0	0	25 ± 7	9.7
+0	0	82 ± 26	31.9
+3	0	106 ± 6	41.7
+6	0	166 ± 47	65.3
+22	0	272 ± 66	106.8
0	No sugar (control)	254 ± 51	

1   2×10^5 cells injected i.v.

2   Each rat received 1.6 mg Heparin i.v.

3   Mean of at least 3 replicates.

TABLE VI – COMPARISON OF THE ANTIMETASTATIC AND ANTICOAGULANT ACTIVITY OF TWO HEPARIN BATCHES

Quantity of heparin injected (mg/rat)	No. of metastases (% of control)[1] with:	
	Evans Medical Ltd heparin	CSL heparin
1.6	13.9 ± 6.3	10.9 ± 2.2
0.53	45.8 ± 10.8	18.5 ± 9.4
0.18	125 ± 20.1	24.4 ± 6.2
0.06	135 ± 16.6	50.8 ± 3.9
0.02	ND	71.8 ± 10.7
Anticoagulant activity (ug/ml)[2]		
APTT[3]	0.3	0.3
TT[4]	0.3	0.1

[1]Mean ± standard error calculated from at least 3 replicates.

[2]Highest concentration of heparin having no detectable effect on plasma coagulation.

[3]Activated partial thromboplastin time test.

[4]Thrombin time test.

ND = not determined.

The following Example demonstrates that sulphated polysaccharides block tumour metastasis by inhibiting tumour cell-derived endoglycosidases.

5   EXAMPLE 2

Table VII presents results from endoglycosidase-inhibition experiments which demonstrate that there is a correlation between the endoglycosidase inhibitory activity of the different
10 sulphated polysaccharides and their ability to inhibit tumour metastasis. Thus, the five polysaccharides that exhibited anti-metastatic activity were comparable inhibitors of tumour cell derived endoglycosidases. In contrast, of the four
15 polysaccharides that failed to inhibit tumour metastasis, three had no detectable endoglycosidase inhibitory activity and one polysaccharide (carrageenan-kappa) was approximately 4-7 times less effective at inhibiting the tumour endoglycosidases
20 as the anti-metastatic polysaccharides.

Although experiments described in Example 1 above suggest that the anticoagulant activity of the sulphated polysaccharides plays little or no role in their antimetastatic activity, it was important to
25 obtain more direct evidence that this is indeed the case. Table VIII presents the results of an experiment in which heparin was separated into anticoagulant enriched and anticoagulant depleted fractions by passage over an anti-thrombin III column
30 (heparin exerts its anticoagulant activity by interacting with anti-thrombin III in plasma). Approximately 40% of the heparin preparation used in this experiment bound to the anti-thrombin III column and was eluted with 2M NaCl (termed high affinity

35

heparin). It was found that the heparin fractions with high and low affinity for anti-thrombin III had identical endoglycosidase-inhibitory activity, almost identical anti-metastatic activity (comparable to
5   unfractionated heparin) but differed approx. 300-500 fold in their anticoagulant activity. Such a result clearly indicates that the anticoagulant activity of heparin plays little or no role in the anti-metastatic properties of the polysaccharide.
10   In additional experiments attempts were made to chemically modify heparin such that the anticoagulant activity of the polysaccharide was destroyed but the anti-metastatic activity of the molecule retained. Such procedures (i) eliminate the
15   undesirable anticoagulant properties of heparin if it is to be used clinically as an anti-metastatic and anti-inflammatory drug and (ii) unlike anti-thrombin III fractionation, provide a commercially viable approach for preparing an effective drug. The
20   results obtained with two chemically modified preparations of heparin, which are virtually devoid of anticoagulant activity, are presented in Table IX. Both preparations exhibited substantial anti-metastatic activity although they were less
25   effective than unmodifed heparin.

30

35

TABLE VII

Ability of Different Sulphated Polysaccharides

to Inhibit Tumour Cell Derived Endoglycosidases

Polysaccharide	Inhibits Tumour Metastasis	Endoglycosidase Inhibitory Activity (μg/ml)[1]
Hyaluronic acid	–	>50
Chondroitin-4-sulphate	–	>50
Chondroitin-6-sulphate	–	>50
Carrageenan-kappa	–	10
Carrageenan-lambda	+	1.5
Dextran sulphate	+	1.6
Fucoidan	+	2.8
Pentosan sulphate	+	2.4
Heparin	+	1.5

[1] Concentration of polysaccharide required to produce a 50%

inhibition of degradation of the extracellular matrix

($^{35}SO_4$-labelled) of endothelial cells by 13762 MAT cells.

TABLE VIII

Biological Activity of Heparin Fractions with High and Low Affinity for Anti-Thrombin III

Heparin Fraction	Anticoagulant Activity (µg/ml)[1]		Endoglycosidase Inhibitory Activity (µg/ml)[2]	Number of metastases (% control)[3]
	APTT	TT		
Unfractionated	0.25	1.5	1.5	6.3%
High affinity heparin[4]	0.13	0.75	2.3	7.7%
Low affinity heparin[4]	62	250	2.0	17.6%

[1]Highest concentration of polysaccharide having no detectable effect on plasma coagulation. APTT – activated partial thromboplastin time test, TT – thrombin time test.

[2]Concentration of polysaccharide producing a 50% inhibition of degradation of the extracellular matrix of endothelial cells by 13762 MAT cells.

[3]2 x 10[5] MAT cells injected i.v. into each rat with 2 mg of each heparin fraction and number of lung metastases quantified 12 days later.

[4]Heparin separated into fractions with high and low affinity for anti-thrombin III by passage through an anti-thrombin III coupled column.

Preparation of Chemically Modified Heparins

     Heparin was periodate oxidized and potassium
borohydride reduced based on the method of Fransson
(9). Heparin (10 mg/ml, bovine lung) in 50mM sodium
5 phosphate buffer, pH 7.0, containing 40mM sodium
periodate was incubated at 37°C in the dark for 20
hr. The reaction was stopped by the addition of
D-mannitol (5 mg/ml). Low molecular weight reaction
products were removed by dialysis against distilled
10 water. The oxidized heparin was then reduced by the
addition of 20 mg/ml of KBH_4 and incubation for 3hr
at 20°C. Excess borohydride was decomposed by the
addition of 20μl/ml of glacial acetic acid. The
oxidized and reduced heparin was precipitated twice
15 at 4°C by the addition of 2 vols ethanol and finally
redissolved in 0.15 M NaCl.

     N-desulphated heparin was prepared by
heating the material in 0.04 M HCl at 100°C for 90
min. N-acetylated heparin was obtained by treatment
20 of N-desulphated heparin with acetic anhydride as
previously described (10).

25

30

35

<u>TABLE IX</u>

<u>Anti-Metastatic Activity of Chemically Modified</u>

<u>Heparins with Negligible Anticoagulant Activity</u>

Polysaccharide[1]	Number of Metastases[2] (mean ± SE)	% of control
N-acetylated heparin	158 ± 24	43.8
No polysaccharide (control)	360 ± 54	
Periodate-oxidised heparin	214 ± 35	43.6
Unmodified heparin	95 ± 10	19
No polysaccharide (control)	491 ± 30	

[1]Chemically modified heparins had <0.1% anticoagulant activity of unmodified heparin.

[2]Metastasis experiment as in Table VIII.

The following Example demonstrates the anti-inflammatory activity of the sulphated polysaccharides, heparin, fucoidan and pentosan sulphate.

5   EXAMPLE 3

MATERIALS AND METHODS

Rats. Lewis (RT-1[I]) rats were bred at the
10 John Curtin School of Medical Research. Both males and females of 8-10 weeks of age were used. In each experiment controls and experimental rats were matched for sex.

15

Induction of EAE.

Active. Guinea pig BP was prepared according to the method of Deibler et al (11) and BP in saline was emulsified in an equal volume of incomplete Freund's adjuvant containing 4 mg/ml added Mycobacterium butyricum. Rats received 0.1 ml emulsion in one footpad of both hind feet. Total dose received was 50 μg BP and 400 μg Mycobacterium butyricum.

Passive. Cells for passive transfer were generated following the method of Panitch and McFarlin (12) Single cell suspensions were prepared from spleens of donor rats sensitized 12 days previously with BP-CFA as described above. Cells were cultured at 2×10^6/ml in RPMI 1640 +5% fetal calf serum, 5×10^{-5}M 2-mercaptoethanol, 200 mM L-glutamine and penicillin and streptomycin. Con A was added at 2 μg/ml and cultures were incubated at 37^{o}C in an atmosphere of 10% CO_2, 7% O_2 and the balance N_2. Cells were harvested after 72 hrs, washed with Hanks balanced salt solution (BSS) and transferred to recipients via a lateral tail vein. All transfer populations contained 30×10^6 viable cells.

Evaluation of clinical EAE

Clinical EAE was graded according to the following scheme: 0, asymptomatic; 1, flaccid distal half of tail; 2, entire tail flaccid; 3, ataxia, difficulty in righting; 4, hind limb weakness; 5, hind limb paralysis.

In most experiments we also calculated the mean day of onset of disease (MDO), the mean clinical score (MCS) and the mean length or duration of disease (MLD). Values are expressed standard error of the mean.

Histology

Rats were perfused with 10% neutral buffered formalin. Their spinal cords removed and prepared by standard histological techniques. Slides were stained with H and E.

Polysaccharides

Chondroitin-4-sulfate, fucoidan (from Fucus vesiculosus), pentosan polysulfate and heparin (sodium salt from bovine lung) were all purchased from Sigma (St. Louis, MO). The polysaccharides were dissolved in 0.15 M NaCl and stored at -20°C. They were thawed and then boiled for 2 min immediately before use.

Heparin devoid of anticoagulant activity was prepared by periodate oxidation and borohydrate reduction using a similar procedure to that described by Fransson (9.). Bovine lung heparin (10 mg/ml) was dissolved in 0.05 M

5 sodium phosphate buffer, pH 7.0, containing 40 mM sodium periodate and left to react for 18 hrs at 37°C in the dark. The reaction was stopped by the addition of solid D-mannitol (5 mg/ml) and the solution then dialyzed against distilled water at room temperature for 2 hrs, the dialysate being

10 changed every 30 min. The oxyheparin was then reduced by the addition of solid potassium borohydride (2 mg/mg heparin), the reduction reaction being left for 3 hrs at room temperature and then terminated by the addition of glacial acetic acid (1 ⲙl/mg of borohydride). The heparin

15 was then ethanol precipitated twice (2 vols ethanol, 4°C, 18 hrs) and finally dissolved in 0.15 M NaCl to a concentration of 20 mg/ml. Approximately 50% of the heparin was recovered as the periodate oxidised borohydride reduced preparation.

20

The anticoagulant activity of heparin and periodate oxidized heparin was determined using rat plasma in the activated partial thromboplastin time and thrombin time tests   . Based on these assays periodate oxidation

25 resulted in a 500-2000 fold reduction in the anticoagulant activity of heparin.

Delivery of sulfated polysaccharides. Because of the

short half life of some of the polysaccharides in vivo we

thought it necessary to give repeated doses. We first

attempted ip injections of heparin every twelve hours.

5 Unfortunately, this produced unacceptable levels of

hemorrhage and even death of some animals. We chose

therefore to use mini osmotic pumps (type 2ML, ALZA Corp,

Palo Alto, Calif.) which were implanted subcutaneously in

the back. The pumps have a 2ml capacity and deliver

10 approximately 10 μl/hr for 7 days. Plasma levels of heparin

was measured in rats implanted with an osmotic pump

containing 20 mg/ml. The method employed was essentially

the dimethylmethylene blue procedure of Farndale et al (13).

A steady state concentration of 10-20 μg/ml was reached by

15 24 hrs after implanting the pump on day 0 and no heparin was

detectable on day 8, i.e. 24 hrs after the pump ceased to

deliver.

20   RESULTS

Recipient rats received 30x10^6 EAE effector cells and

at the same time osmotic pumps were placed subcutaneously in

the back. The pumps contained 2 ml of heparin at either 10

25 mg/ml or 20 mg/ml. As shown in Table X there was a degree

of protection in both heparin treated groups. Only 3 of 6

rats receiving 10 mg/ml heparin developed disease and only 1

of 5 receiving 20 mg/ml. In the latter case, the one animal

which did develop disease did so later after cell transfer and also exhibited a milder disease.

In the next experiment we used heparin again as well as three further sulfated polysaccharides, fucoidan, chondroitin-4-sulfate, and pentosan sulfate, and also asked if initiation of treatment could be delayed for 3 days and still provide protection. Fucoidan as well as heparin gave complete protection against EAE even when treatment was delayed till day 3 after cell transfer (Table XI). Pentosan sulfate gave partial protection as evidenced by later onset, milder clinical disease, and shorter duration of disease. Chondroitin-4-sulfate had no protective effect.

Often, therapeutic studies of various agents in EAE demonstrate that clinical disease may be abrogated, yet histopathologic examination will reveal quite extensive inflammatory lesions (14, 15). To examine this in the present context, 3 control and 3 heparin treated animals from the experiment described in Table XI were killed on day 8 post cell transfer and examined for inflammatory lesions. Virtually every low power field of a 2 cm longitudinal section through the lower thoracic/upper lumbar cord of control rats had numerous perivascular inflammatory lesions. In contrast, no lesions were seen in any of 80 sections from the same area of the three heparin treated rats.

To determine if the sulfated polysaccharides are
inhibiting adoptive EAE by simply killing the transferred
cells, we examined the ability of treated rats to exhibit
memory to a challenge with BP-CFA. We (16-17) and others
5   (18-19) have reported that following recovery from passively
induced EAE, or in the case of neonates, in the absence of
any initial disease symptoms following cell transfer (16-
17), a later active challenge with BP-CFA leads to a much
earlier onset of disease symptoms than is seen in control
10 animals which never received EAE effector cells. The
interpretation of these data is that early onset is the
result of activation of memory cells which persist in the
animal and arise from the original transfer population.
Therefore, the animals represented in Table XI were
15 challenged with 50 g BP-CFA on day 14 after receiving the
cell transfer. Control rats which had never received cells
were also challenged. The results are shown in Table XII.
Naive animals developed disease day 10-11 after active
immunization. Cell recipients on the other hand showed a
20 memory response following challenge irrespective of
treatment regimen or presence or absence of initial clinical
signs, thus demonstrating that treatment did not inhibit
adoptively transferred disease by killing the cells.

25   Is the effect that heparin, and possibly the other
polysaccharides have on adoptively transferred EAE a
function of their anticoagulant activity? To answer this
question, anticoagulant free heparin was prepared by

periodate oxidation and borohydride reduction as described in MATERIALS AND METHODS and then tested for its EAE inhibiting activity. As seen in Table XIII, all animals receiving anticoagulant free heparin developed EAE;

5 however, there was a significant delay in onset of disease, a diminution in the clinical severity and also a decrease in the duration of the disease symptoms. These results strongly suggest that the EAE inhibiting effect of heparin is not due solely to its anticoagulating activity.

10

The effect of heparin on actively induced EAE was also examined and the results presented in Table XIV. When heparin treatment was begun at the time of sensitization there was a sgnificant delay in the onset of disease, however, the

15 clinical score attained or the duration of disease did not differ from controls animals. It is interesting to note that the delay of 6 days is approximately the length of time the pumps deliver heparin, 7 days.

20

25

TABLE X

Effect of heparin on adoptively transferred EAE[a]

Treatment	# Rats with EAE/ Total	Mean Day of Onset	Mean Clinical Score
Control	4/4	4.3. $\pm$0.2	3.9 $\pm$0.1
Heparin[b] (10 mg/ml)	3/6	5.3 $\pm$0.3[c]	3.5 $\pm$0.2[c]
Heparin[b] (20 mg/ml)	1/5	7.0[c]	2.5[c]

a. 30×10^6 Con A incubated EAE spleen cells given iv.

b.   Heparin given in osmotic pumps placed subcutaneously at time of cell transfer.

c.   Represent the score only for the animal(s) which developed clinical signs.

TABLE XI

Effect of sulfated polysaccharides on adoptively transferred EAE

Treatment	# With EAE/ Total	Mean Day Onset	Mean Clinical Score	Mean Length Disease
Control	7/7	4.4 ±0.2	4.1 ±0.9	5.0 ±0.4
Heparin (20 mg/ml)	0/8	-	-	-
Fucoidan (20 mg/ml)	0/6	-	-	-
Chondroitin-4-sulfate (20 mg/ml)	5/5	5	3.5 ±0.2	5.0 ±0.4
Pentosan sulfate (20 mg/ml)	5/5	6.2 ±0.3	2.4 ±0.2	3.0 ±0.4

a. Osmotic pumps containing sulfated polysaccharides were implanted day 3 after cell transfer.

TABLE XII

Memory response in rats receiving sulfated

polysaccharides 3 days after adoptive transfer

of EAE effector cells

Treatment Group	# With EAE/ # Challenged[a]	Individual Day of Onset
Naive	4/4	10, 11, 11, 11
Control (cells only)	4/4	7, 7, 7, 8
Heparin	5/5	7, 7, 7, 8, 8
Fucoidan	6/6	7, 7, 8, 8, 8, 10
Chondroitin-4-sulfate	5/5	7, 7, 8, 8, 10
Pentosan sulfate	N.D.[b]	N.D.

a.   Rats challenged with 50 μg BP-CFA on day 14 after

initial cell transfer.

b.   Not determined.

43

TABLE XIII

Effect of anticoagulant-free heparin

on passively induced EAE

Treatment	# With EAE/ Total	Mean Day Onset	Mean Clinical Score	Mean Duration Disease
Control	7/7	5.0	3.4 ± 0.1	4.0 ± 0.2
Heparin (20 mg/ml)	0/5	-	-	-
Periodate-oxidised heparin (20 mg/ml)	5/5	6.4 ± 0.2	1.6 ± 0.2	2.4 ± 0.4

44

TABLE XIV

Effect of heparin on actively induced EAE

Treatment	# With EAE/ # Challenged	Mean Day Onset	Mean Clinical Score	Mean Duration Disease
Control	5/5	11.4 $\pm$0.5	4.2 $\pm$0.3	6.6 $\pm$0.6
Heparin[a] (20 mg/ml)	5/5	17.6 $\pm$0.8	5.0	6.0 $\pm$0.5

a. Heparin pumps implanted at time of sensitization with 50 μg BP-CFA/rat.

REFERENCES

1. BADENOCH-JONES, P. and RAMSHAW, I.A., _Aust._
    J. Exp. Biol.Med.Sci, _63_, 91-98 (1985).

2. BRENAN, M. and PARISH, C.R.
    J.Immunol.Meth., _74_, 31-38 (1984).

3. PARISH, C.R. and SNOWDEN, J.M. _Cell_
    Immunol., _91_, 201-214 (1985).

4. RAMSHAW, I.A., CARLSEN, S., WANG, H.C., and
    BADENOCH-JONES, P. _Int.J.Cancer_. _32_, 471-478
    (1983).

5. REID, L.C.M., Cloning. In: Jakoby, W.B.,
    and Pastan, I.G. (eds). _Methods of_
    Enzymology. Vol. LVIII, pp 152-164, Academic
    Press, New York (1979).

6. RICKLES, F.R. and EDWARDS, R.L. _Blood_, _62_,
    14-31 (1983).

7. SOKAL, R.R. and ROHLF, F.J. _Biometry_.
    W.H.Freman and Co., San Francisco, p.770
    (1969).

8. WELCH, D.R., NERY, A., and NICOLSON, G.L.
    Invas. Metast. _3_, 65-80 (1983).

9. FRANSSON, L-A. _Carbohydr. Res_. _62_, 235-244
    (1978).

10. LEVVY, G.A. and McALLAN, A. _Biochem. J_. _73_,
    127-133 (1959).

11.   Deibler G.E., R.E. Martinson and M.W. Kies.
       Prep. Biochem. 2: 139 (1972).

12.   Panitch H.S. and D.E. McFarlin.   J. Immunol.
       119: 1134. (1977).

13.   Farndale R.W., D.J. Buttle and A.J. Barrett.
       Biochem.et.Biphys.Acta. 883: 173. (1986).

14.   Welch A., J.H. Holda and R.H. Swanborg. J.
       Immunol. 125: 186. (1980).

15.   Hauser S.L., H.L. Weiner, M. Che, M.F.
       Shapiro, F. Gilles and N.L. Letvin. J.
       Immunol. 132: 1276. (1984).

16.   Willenborg D.O. and G. Danta.
       Clin.Exp.Neurol. 21: 225. (1985).

17.   Willengborg D.O., P. Sjollema and G. Danta.
       Scand.J.Immunol. 23: 75. (1986).

18.   Holda J.H. and R.H. Swanborg.   Immun.Commun.
       9: 333. (1980).

19.   Hinrichs D.J., C.M. Roberts and F.J.
       Waxman. J.Immunol. 126: 1857. (1981).

CLAIMS

1.   A method of anti-metastatic and/or
anti-inflammatory treatment of an animal or human
patient, which comprises administration to the
patient of an effective amount of at least one
sulphated polysaccharide which blocks or inhibits
endoglycosidase activity.

2.   A method according to claim 1, wherein said
sulphated polysaccharide is one which blocks or
inhibits heparanase activity.

3.   A method according to claim 1, wherein said
sulphated polysaccharide is selected from the group
consisting of heparin (including modified heparin),
fucoidan, pentosan sulphate, dextran sulphate and
carrageenan-lambda.

4.   A method according to claim 3, wherein said
sulphated polysaccharide is heparin.

5.   A method according to claim 3, wherein said
sulphated polysaccharide is heparin which has been
modified to reduce its anti-coagulant activity.

6.   A method according to claim 5, wherein said
modified heparin is decarboxylated heparin or
periodate oxidized, reduced heparin.

7.   A pharmaceutical or veterinary composition
for anti-metastatic and/or anti-inflammatory
treatment which comprises at least one sulphated
polysaccharide which blocks or inhibits

endoglycosidase activity, together with a pharmaceutically or veterinarily acceptable carrier or diluent therefor.

8.   A composition according to claim 7, wherein said sulphated polysaccharide is one which blocks or inhibits heparanase activity.

9.   A composition according to claim 7, wherein said sulphated polysaccharide is selected from the group consisting of heparin (including modified heparin), fucoidan, pentosan sulphate, dextran sulphate and carrageenan lambola.

10.   A composition according to claim 9 wherein said sulphated polysaccharide is heparin.

11.   A composition according to claim 9 wherein said sulphated polysaccharide is heparin which has been modified to reduce its anti-coagulant activity

12.   A composition according to claim 11, wherein said modified heparin is decarboxylated heparin or periodate oxidized, reduced heparin.

13.   Use of at least one sulphated polysaccharide which blocks or inhibits endoglycosidase activity for anti-metastatic and/or anti-inflammatory treatment of an animal or human patient.

14.   Use of at least one sulphated polysaccharide which blocks or inhibits endoglycosidase activity for the preparation of a medicament for anti-metastatic and/or anti-inflammatory treatment of an animal or human patient.

FIG.1.

FIG.2.

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all)

According to International Patent Classification (IPC) or to both National Classification and IPC

Int. Cl.^{4} A61K 31/725, 45/05

II. FIELDS SEARCHED

Minimum Documentation Searched

Classification System	Classification Symbols
IPC	A61K 31/725, 45/05

Documentation Searched other than Minimum Documentation
to the Extent that such Documents are Included in the Fields Searched

AU :   IPC as above

III. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
X	The Merck Index, Ninth Edition, issued 1976 (Rahway, N.J., U.S.A.), see monographs 1861,2212,2907,4510 and 4634 at pages 238,286,387, 607,608 and 624.	(7-12)
X	GB,A, 1029034 (LABORATOIRES DE RECHERCHES EXPERIMENTALES GOULDEN & CIE) 11 May 1966 (11.05.66)	(1-14)
X	US,A, 4710493 (ALBERT LANDSBERGER) 1 December 1987 (01.12.87)	(1-14)
X	AU,B, 22582/83 (555290) (PRESIDENT AND FELLOWS OF HARVARD COLLEGE) 28 June 1984 (28.06.84)	(1-14)
X	AU,B, 30806/84 (555747) (CILCO, INC.) 14 February 1985 (14.02.85)	(1-14)
X	EP,A, 025123 (SAPPORO BREWERIES LIMITED et al) 18 March 1981 (18.03.81)	(1-14)
X	EP,A, 140781 (DROPIC) 9 May 1985 (09.05.85)	(1-14)
X	EP,A, 165569 (INTERMEDICAT GmbH) 27 December 1985 (27.12.85)	(1-14)
X	EP,A, 208623 (SANOFI) 14 January 1987 (14.01.87)	(1-14)

(continued)

* Special categories of cited documents: [10]

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

IV. CERTIFICATION

Date of the Actual Completion of the International Search

28 March 1988 (28.03.88)

Date of Mailing of this International Search Report

(11-04-88)   11 APRIL 1988

International Searching Authority

Australian Patent Office

Signature of Authorized Officer

J. BODEGRAVEN

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET

X | Patents Abstracts of Japan, C 324, page 165,   (1-14)
: JP,A, 60-174729 (NIPPON SHINYAKU K.K.) 9 September
1985 (09.09.85)

V. OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE [1]

This international search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons:

1. X Claim numbers 1-6 and 13-14 because they relate to subject matter not required to be searched by this Authority, namely:

Methods for treatment of the human or animal body by therapy.
See Rule 39.1(iv).

2. Claim numbers .... because they relate to parts of the international application that do not comply with the prescribed require-
ments to such an extent that no meaningful international search can be carried out, specifically

3. Claim numbers.......... because they are dependent claims and are not drafted in accordance with the second and third sentences of
PCT Rule 6.4(a).

VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING [1]

This International Searching Authority found multiple inventions in this international application as follows:

1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
of the international application.

2. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only
those claims of the international application for which fees were paid, specifically claims:

3. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to
the invention first mentioned in the claims; it is covered by claim numbers:

4. As all searchable claims could be searched without effort justifying an additional fee, the International Searching Authority did not
invite payment of any additional fee.

Remark on Protest

☐ The additional search fees were accompanied by applicant's protest.

☐ No protest accompanied the payment of additional search fees.

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report	Patent Family Members		
US 4710493	DE 3432661	EP 176769	
AU 22582/83	CA 1226816 JP 59176213	DK 5844/83	EP 114589
AU 30806/84	EP 136782 ZA 8405995	FI 843122	JP 60056922
EP 25123	JP 56028202	US 4357323	US 4366308
EP 140781	FR 2553287	JP 60115525	
EP 165569	DE 3422518 JP 61069802	ES 544162 ZA 8504506	ES 8608543
EP 208623	FR 2584606	JP 62018401	

END OF ANNEX